


GABLE INFILL TO ARCHITECTS DETAILS.
TOP OF WALL TO BE LATERALLY
RESTRAINED BY ROOF STRUCTURE.

EL = +2.8m

EL = +0.0m

- KEY:
- TYPICAL 300x150x100 BLOCK ON ELEVATION.
 - ▣ END OF 300x150x100 BLOCK
 - ⊠ HALF BLOCK 150x150x100

ELEVATION 1



GABLE INFILL TO ARCHITECTS DETAILS.
TOP OF WALL TO BE LATERALLY
RESTRAINED BY ROOF STRUCTURE.

EL = +2.8m

EL = +0.0m

LEAVE OUT 1/2 BLOCKS FOR AIR.
PROVIDE CHANNEL COURSE ABOVE
AND BELOW BETWEEN GRIDS A
AND B. PROVIDE TEMPORARY WOOD
BLOCKING AT HOLES UNTIL GROUT
POURED TO SUPPORT BLOCKS.

ELEVATION 2

- A1 - DETACHED PILLAR
- A2 - REPLACED ARCH WITH BEAM
- A3 - WAS @ 6A (A6 SIMILAR)
- A4 - CHANGED WINDOW & DOOR SIZES
- A5 - CHANGED Y-PIER WALL COURSING
- A6 - WALL WAS 2600 HIGH

Rev	Description	Date

Issued: MAY 06

Drawn By: JR

Checked By:

Filename

SIGLI, ACEH

ICEB HOUSE
ELEVATIONS
SHEET 1

Scales: 1:50 @ A3

Drq. No.

SK-102

Rev. No. A 0